



GROUPE GARONNE
FRENCH QUARRY MATERIAL CONSTRUCTOR AND
MANUFACTURER

TECHNICAL DATA



GS 2510

SCREENER

Garonne
by Groupe Garonne



The GARONNE GS 2510 tracked screen is a self-propelled screening plant with reduced dimensions and low weight. Compact and handy, it is designed to carry out heavy work; it is light, easy to transport, load and unload.

FEATURES

Max size	600 mm
Lenght	9 600 mm
Width	2 250 mm
Height	2 550 mm
Weight	12 000 kg

SCREEN

Grid size	2 750 x 1 150 mm
Nr. of grids	2
Adjustable speed	

UNLOADING CONVEYOR

Lenght	2 500 mm
Width	800 mm
Hopper capacity	2,5m ³
Unloading height	2 800 mm

FINES BELT

Lenght	6 300 mm
Width	600 mm
Height	2 600mm
Hydraulic folding system	

MIDS BELT

Lenght	6 300 mm
Width	300 mm
Height	2 600 mm
Rubber Belt type	Chevron
Hydraulic folding system	

GROUPE GARONNE

605 chemin de Bordegrosse - Z.A. de Bordegrosse - 31220 MONDAVEZAN, FRANCE

0 806 802 202 Service gratuit
* prix appel

– Mail gcc@groupegaronne.fr – Site www.groupegaronne.fr

Siret 88377828400017 RCS Toulouse – Code NAF 8211Z



CONVEYOR FOR OVERZINE MATERIAL

Lenght	3 700 mm
Width	800 mm
Height	1 700mm
Rubber Belt type	Chevron
Adjustable speed	

MOTOR

ISUZU Diesel	Engine Stage V : 35kW /45Hp Tier 4Final : 35kW / 45Hp Stage 3A : 36kW / 47Hp
Fuel Tank	90L
Hydr. Oil Tank Capacity	150L
Nr. of Hydr. Pumps nr.2 (11 + 11)	

TRACKS

Lenght	2 750mm
Width	400mm
Type of Tracks	Rubber Tracks with Pads

FOR FURTHER CHARACTERISTICS

- Remote control to activate the tracks, the unloading belts and the vibrating box
- Inclined Vibrating box in heavy duty material equipped with adjustable speed device
- Nr. 3 Final Materials
- Easy Conversion from 2 to 3 Final Materials (by lowing the Conveyor for oversize material)
- Hopper with back opening
- Feeding Conveyor
- Unloading Conveyors for fine, medium and oversize material
- Hydraulic Foldable Conveyors
- Mesh Net or wearing plates to be applied onto the top Grid and/or onto the low Grid
- Versatile unit for scalping operations before or after crushing process
- Non-slip standard drum with 2 hydraulic motors for the loading conveyor
- Adjustable Speed device on the loading conveyor
- Easy replacing Belt on the loading conveyor

GROUPE GARONNE

605 chemin de Bordegrosse - Z.A. de Bordegrosse - 31220 MONDAVEZAN, FRANCE

0 806 802 202 Service gratuit
* prix appel – Mail gcc@groupegaronne.fr – Site www.groupegaronne.fr

Siret 88377828400017 RCS Toulouse – Code NAF 8211Z



- Easy Access for Maintenance
- Tracks equipped with Lifting hydraulic chassis to be able to be loaded in a truck or container

OPTIONS

Diesel Engine ISUZU Tier 4i available after 2020 for UE Market
Mesh Net available from mm.20 up to mm.100 for top grid (upon request)
Mesh Net available from mm.5 up to mm.80 for lower grid (upon request)
Wearing plates from mm. 20 up to mm.100 for both the grids (upon request)
Grizzly Feeding System with 100mm mesh for the top Grid
Grizzly Feeding System with 80mm mesh for the top Grid


All above specifications listed, given by the constructor are current as of this printing, but are subject to change.

GROUPE GARONNE

605 chemin de Bordegrosse - Z.A. de Bordegrosse - 31220 MONDAVEZAN, FRANCE

0 806 802 202 Service gratuit
* prix appel – Mail gcc@groupegaronne.fr – Site www.groupegaronne.fr

Siret 88377828400017 RCS Toulouse – Code NAF 8211Z





GROUPE GARONNE

605 chemin de Bordegrosse - Z.A. de Bordegrosse - 31220 MONDAVEZAN, FRANCE

0 806 802 202 Service gratuit
* prix appel – Mail gcc@groupegaronne.fr – Site www.groupegaronne.fr

Siret 88377828400017 RCS Toulouse – Code NAF 8211Z